
References

- Aarssen, L.W. 1992. Causes and consequences of variation in competitive ability in plant communities. *Journal of Vegetation Science* 3: 165-174.
- Aguilar, M.R. & Sala, O.E. 1994. Competition, facilitation, seed distribution and the origin of patches in a Patagonian steppe. *Oikos* 70: 26-34.
- Allan, H.H. 1961. *Flora of New Zealand*. Vol. I. Government Printer, Wellington.
- Allen, R.B., Lee, W.G. & Rance, B.D. 1994. Regeneration in indigenous forest after eradication of Norway rats, Breaksea Island, New Zealand. *New Zealand Journal of Botany* 32: 429-439.
- Allen, S.E. (ed.) 1989. *Chemical Analysis of Ecological Materials*, 2nd ed. Blackwell, Oxford.
- Almeyda, E. & Saez, F. 1958. *Recopilación de Datos Climáticos de Chile y Mapas Sinópticos Respectivos*. Ministerio de Agricultura, Santiago, Chile.
- Al-Mufti, M.M., Sydes, C.L., Furness, S.B., Grime, J.P. & Band, S.R. 1977. A quantitative analysis of shoot phenology and dominance in herbaceous vegetation. *Journal of Ecology* 65: 759-791.
- Anon. 1964. *Climatología de Chile*. I. Valores Normales de 36 Estaciones Seleccionadas, Período 1916-1945. Proyecto Hidrometeorológico Unidas, Gobierno de Chile, Santiago, Chile.
- Arita, H.T. 1993. Tests for morphological competitive displacement: a reassessment of parameters. *Ecology* 74: 627-630.
- Armbruster, W.S. 1986. Reproductive interactions between sympatric *Dalechampia* species: are natural assemblages "random" or "organized"? *Ecology* 67: 522-533.
- Armbruster, W.S., Edwards, M.E. & Debevec, E.M. 1994. Floral character displacement generates assemblage structure of Western Australian triggerplants (*Stylidium*). *Ecology* 75: 315-329.
- Arroyo, M.T., Cavieres, L., Marticorena, C. & Muñoz-Schick, M. 1995. Convergence in the mediterranean floras in central Chile and California: insights from comparative biogeography. In: Arroyo, M.T.K., Zedler, P.H. & Fox, M.D. (eds.) *Ecology and Biogeography of Mediterranean Ecosystems in Chile, California, and Australia*, pp. 43-88. Springer-Verlag, New York.
- Ash, J. 1982. The *Nothofagus* Blume (Fagaceae) of New Guinea. In: Gressitt, J.L. (ed.) *Biogeography and Ecology of New Guinea*, pp. 355-380. Junk, The Hague.
- Ashton, P.S., Givnish, T.J. & Appanah, S. 1988. Staggered flowering in the Dipterocarpaceae: new insights into floral induction and the evolution of mast fruiting in the aseasonal tropics.

American Naturalist 132: 44-66.

Auclair, A.N. & Goff, F.G. 1971. Diversity relations of upland forest in the western Great Lakes area. *American Naturalist* 105: 499-528.

Austin, M.P. & Smith, T.M. 1989. A new model for the continuum concept. *Vegetatio* 83: 35-47.

Bannister, P. 1976. *Introduction to Physiological Plant Ecology*. Blackwell, Oxford.

Barbour, C.D. 1973. A biogeographical history of *Chirostoma* (Pisces: Atherinidae): a species flock from the Mexican plateau. *Copeia* 3: 533-556.

Barbour, M.G. & Minnich, R.A. 1990. The myth of chaparral convergence. *Israel Journal of Botany* 39: 453-463.

Barkman, J.J. 1979. The investigation of vegetation texture and structure. In: Werger, M.J.A. (ed.) *The Study of Vegetation*, pp. 124-160. Junk, The Hague.

Barkman, J.J. 1988. New systems of plant growth forms and phenological plant types. In: Werger, M.J.A., van der Aart, P.J.M., During, H.J. & Verhoeven, J.T.A. (eds.) *Plant Form and Vegetation Structure*, pp. 9-44. SPB Academic Publishing, The Hague.

Baynton, H.W., Biggs, W.G., Hamilton, H.L., Jr., Sherr, P.E. & Worth, J.J.B. 1965. Temperature structure in and above a tropical forest. *Quarterly Journal of the Royal Meteorological Society* 91: 225-232.

Bazzaz, F.A. 1975. Plant species diversity in old-field successional ecosystems in southern Illinois. *Ecology* 56: 485-488.

Beadle, N.C.W. 1966. Soil phosphate and its role in molding segments of the Australian flora and vegetation, with special reference to xeromorphy and sclerophylly. *Ecology* 47: 992-1007.

Beadle, N.C.W. 1981. *The Vegetation of Australia*. Gustav Fisher Verlag, Stuttgart.

Blondel, J. 1991. Assessing convergence at the community-wide level. *Trends in Ecology and Evolution* 6: 271-272.

Blondel, J., Vuilleumier, F., Marcus, L.F. & Terouanne, E. 1984. Is there ecomorphological convergence among mediterranean bird communities of Chile, California and France? *Evolutionary Biology* 18: 141-213.

Björkman, O. 1981. Responses to different quantum flux densities. In: Lange, O.L., Nobel, P.S., Osmund, C.B. & Ziegler, H. (eds.) *Physiological Plant Ecology*. I. Responses to the Physical Environment, pp. 57-102. Springer-Verlag, Berlin.

Boardman, N.K. 1977. Comparative photosynthesis of sun and shade plants. *Annual Review of Plant Physiology* 28: 355-377.

Boecklen, W.J. & NeSmith, C. 1985. Hutchinsonian ratios and log-normal distributions. *Evolution* 39: 695-698.

Bongers, F. & Popma J. 1988. Is exposure-related variation in leaf characteristics of tropical rainforest species adaptive? In: Werger, M.J.A., van der Aart, P.J.M., During, H.J. & Verhoeven, J.T.A. (eds.) *Plant Form and Vegetation Structure*, pp. 191-200. SPB Academic Publishing, The Hague.

Bongers, F. & Popma, J. 1990. Leaf characteristics of the tropical rain forest flora of Los Tuxtlas, Mexico. *Botanical Gazette* 151: 354-365.

Bonham, C.D. 1989. *Measurements for terrestrial vegetation*. Wiley, New York.

Botkin, D.B. 1975. Functional groups of organisms in model ecosystems. In: Levin, S.A. (ed.) *Ecosystem Analysis and Prediction*, pp. 98-102. Philadelphia Soc. Ind. Appl. Math.

Boutin, C. & Keddy, P. A. 1993. A functional classification of wetland plants. *Journal of Vegetation Science* 4: 591-600.

Bowers, M.A. & Brown, J.H. 1982. Body size and coexistence in desert rodents: chance or community structure? *Ecology* 63: 391-400.

Braun-Blanquet, J. 1932. *Plant Sociology; the Study of Plant Communities*. McGraw-Hill, New York.

Brown, J.H. 1975. Geographical ecology of desert rodents. In: Cody, M.L. & Diamond, J.M. (eds.) *Ecology and Evolution of Communities*, pp. 315-341. Harvard University Press, Cambridge, Massachusetts.

Brownsey, P.J., Given, D.R. & Lovis, J.D. 1985. A revised classification of New Zealand pteridophytes with a synonymic checklist of species. *New Zealand Journal of Botany* 23: 431-489.

Bureau of Meteorology, Department of Science and Technology 1975. *Manual of Meteorology*. Part I. General Meteorology. Australian Government Publishing Service, Canberra.

Busby, J.R. 1984. *Nothofagus cunninghamii (Southern Beech) Vegetation in Australia*. Australian Flora and Fauna Series, No. 1. Australian Government Publication Service, Canberra.

Buys, M.H., Maritz, J.S., Boucher, C. & Van Der Walt, J.J.A. 1994. A model for species-area relationships in plant communities. *Journal of Vegetation Science* 5: 63-66.

Bycroft, C.M., Nicolaou, N., Smith, B. & Wilson, J.B. 1993. Community structure (niche limitation and guild proportionality) in relation to the effect of spatial scale, in a *Nothofagus* forest sampled with a circular transect. *New Zealand Journal of Ecology* 17: 95-101.

Cain, S.A., Castro de Oliveira, G.M., Pires, J.M. & da Silva, N.T. 1956. Application of some phytosociological techniques to Brazilian rain forest. *American Journal of Botany* 43: 911-941.

Caldwell, M.M. 1987. Competition between root systems in natural communities. In: Gregory, P.J., Lake, J.V. & Rose, D.A. (eds.) *Root Development and Function*, pp. 167-186. Cambridge University Press, Cambridge.

Caldwell, M.M., Manwaring, J.H. & Durham, S.L. 1991. The microscale distribution of neighbouring plant roots in fertile soil microsites. *Functional Ecology* 5: 765-772.

Campbell, B.M. & Werger, M.J.A. 1988. Plant form in the mountains of the Cape, South Africa. *Journal of Ecology* 76: 637-653.

Carson, W.P. & Pickett, S.T.A. 1990. Role of resources and disturbance in the organization of an old-field plant community. *Ecology* 71: 226-238.

Case, T.J., Faaborg, J. & Sidell, R. 1983. The role of body size in the assembly of West Indian bird communities. *Evolution* 37: 1067-1074.

Case, T.J. & Sidell, R. 1983. Pattern and chance in the structure of model and natural communities. *Evolution* 37: 832-849.

Chapman, S.B. 1976. *Methods in Plant Ecology*. Blackwell, Oxford.

Chiarello, N. 1984. Leaf energy balance in the wet lowland tropics. In: Medina, E., Mooney, H.A., & Vásquez-Yanes (eds.) *Physiological Ecology of Plants of the Wet Tropics*, pp. 85-98. Junk, The Hague.

Chow, W.S., Anderson, J.M. & Melis, A. 1991. The photosystem stoichiometry in thylakoids of some Australian shade-adapted plant species. *Australian Journal of Plant Physiology* 17: 665-674.

Christophel, D.C. & Greenwood, D.R. 1989. Changes in climate and vegetation in Australia during the Tertiary. *Review of Palaeobotany and Palynology* 58: 95-109.

Clements, F.E. 1904. The development and structure of vegetation. *Botanical Survey of Nebraska*. University of Nebraska, Lincoln, Nebraska.

Clements, F.E. 1905. *Research Methods in Ecology*. University of Nebraska, Lincoln, Nebraska.

Cody, M.L. 1986. Structural niches in plant communities. In: Diamond, J. & Case, T.J. (eds.) *Community Ecology*. Harper & Row, New York.

Cody, M.L. 1991. Niche theory and plant growth form. *Vegetatio* 97: 39-55.

Cody, M.L., Fuentes, E.R., Glanz, W., Hunt, J.H. & Moldenke, A.R. 1977. Convergent evolution in the consumer organisms of mediterranean Chile and California. In: Mooney, H.A. (ed.) *Convergent Evolution in Chile and California Mediterranean Climate Ecosystems*, pp. 144-192. Dowden, Hutchinson & Ross, Stroudsburg, Pennsylvania.

Cody, M.L. & Mooney, H.A. 1978. Convergence versus nonconvergence in

mediterranean-climate ecosystems. *Annual Review of Ecology and Systematics* 9: 265-321.

Cole, B.J. 1981. Overlap, regularity and flowering phenologies. *American Naturalist* 117: 993-997.

Collins, S.L. & Barber, S.C. 1985. Effects of disturbance on diversity in mixed-grass prairie. *Vegetatio* 64: 87-94.

Colwell, R.K. 1979. Toward a unified approach to the study of species diversity. In: Grassle, J.F., Patil, G.P., Smith, W. & Taillie, C. (eds.) *Ecological Diversity in Theory and Practice*, pp. 75-91. International Co-operative Publishing House, Fairland, Maryland.

Colwell, R.K. and Winkler, D.W. 1984. A null model for null models in biogeography. In: Strong, D.R., Simberloff, D., Abele, L.G. and Thistle, A.B. (eds.) *Ecological Communities: Conceptual Issues and The Evidence*, pp. 344-359. Princeton University Press, Princeton, New Jersey.

Connell, J.H. 1978. Diversity in tropical rainforests and coral reefs. *Science* 199: 1302-1310.

Connell, J.H. 1980. Diversity and the coevolution of competitors, or the ghost of competition past. *Oikos* 35: 131-138.

Connell, J.H. & Slatyer, R.O. 1977. Mechanisms of succession in natural communities and their role in community stability and organization. *American Naturalist* 111: 1119-1144.

Connor, E.F. & McCoy, E.D. 1979. The statistics and biology of the species-area relationship. *American Naturalist* 113: 791-833.

Connor, E.F. & Simberloff, D. 1979. The assembly of species communities: chance or competition? *Ecology* 60: 1132-1140.

Connor, E.F. & Simberloff, D. 1983. Inter-specific competition and species co-occurrence patterns on islands: null models and the evaluation of evidence. *Oikos* 41: 455-465.

Connor, E.F. & Simberloff, D. 1984. Neutral models of species co-occurrence patterns. In: Strong, D.R., Jr., Simberloff, D., Abele, L.G. & Thistle, A.B. (eds.) *Ecological Communities: Conceptual Issues and the Evidence*, pp. 316-331. Princeton University Press, Princeton, New Jersey.

Connor, H.E. & Edgar, E. 1987. Name changes in the indigenous New Zealand Flora, 1960-1986 and Nomina Nova IV, 1983-1986. *New Zealand Journal of Botany* 25: 115-170.

Cooley, W.W. & Lohnes, P.R. 1971. *Multivariate Data Analysis*. Wiley, New York.

Cornelius, J.M., Kemp, P.R., Ludwig, J.A. & Cunningham, G.L. 1991. The distribution of vascular plant species and guilds in space and time along a desert gradient. *Journal of Vegetation Science* 2: 59-72.

- Correa, M.N. (ed.) 1971. *Flora Patagonica*. Coleccion Cientifica INTA. Tomo VIII. Instituto Nacional de Tecnología Agropecuaria, Buenos Aires.
- Cowan, I.R. 1982. Regulation of water use in relation to carbon gain in higher plants. In: Lange, O.L., Nobel, P.S., Osmond, C.B. & Ziegler, H. (eds.) *Encyclopaedia of Plant Physiology*, vol. 12A, pp. 589-613. Springer-Verlag, Berlin.
- Cowan, I.R. 1986. Economics of carbon fixation in higher plants. In: Givnish, T.J. (ed.) *On the Economy of Plant Form and Function*, pp. 133-170. Cambridge University Press, Cambridge.
- Cowling, R.M. & Campbell, B.M. 1980. Convergence in vegetation structure in the mediterranean communities of California, Chile and South Africa. *Vegetatio* 43: 191-197.
- Cowling, R.M., Esler, K.J., Midgley, G.F. & Honig, M.A. 1994. Plant functional diversity, species diversity and climate in arid and semi-arid southern Africa. *Journal of Arid Environments* 27: 141-158.
- Cowling, R.M. & Witkowski, E.T.F. 1994. Convergence and non-convergence of plant traits in climatically and edaphically matched sites in Mediterranean Australia and South Africa. *Australian Journal of Ecology* 19: 220-232.
- Crowder, L.B. 1980. Ecological convergence of community structure: a neutral model analysis. *Ecology* 61: 194-198.
- Crowley, P.H. 1992. Resampling methods for computation-intensive data analysis in ecology and evolution. *Annual Review of Ecology and Systematics* 23: 405-407.
- Cummins, K.W. & Merritt, R.W. 1984. Ecology and distribution of aquatic insects. In: Resh, V.H. & Rosenberg, D.M. (eds.) *The Ecology of Aquatic Insects*, pp. 59-65. Praeger, New York.
- Cummins, K. W. 1973. Trophic relations of aquatic insects. *Annual Review of Entomology* 18: 183-206.
- Currie, D.J. 1991. Energy and large-scale patterns of animal and plant richness. *American Naturalist* 137: 27-49.
- Currie, D.J. & Paquin, V. 1987. Large-scale biogeographic patterns of species richness of trees. *Nature* 329: 326-327.
- Curtis, W.M. 1963. *The Student's Flora of Tasmania*. Part 2. Government Printer, Hobart, Tasmania.
- Curtis, W.M. 1967. *The Student's Flora of Tasmania*. Part 3. Government Printer, Hobart, Tasmania.
- Curtis, W.M. & Morris, D.I. 1975. *The Student's Flora of Tasmania*. Part I. Government Printer, Hobart, Tasmania.
- Dale, M.B. 1984. The contiguity of upslope and downslope boundaries of species in a zoned

community. *Oikos* 42: 92-96.

Dale, M.P. & Causton, D.R. 1992. Use of the chlorophyll *a/b* ratio as a bioassay for the light environment of a plant. *Functional Ecology* 6: 190-196.

Danin, A. & Orshan, G. 1990. The distribution of Raunkiaer life forms in Israel in relation to the environment. *Journal of Vegetation Science* 1: 41-48.

Danserau, P. 1951. Description and recording of vegetation upon a structural basis. *Ecology* 32: 172-229.

Danserau, P. 1957. *Biogeography, an Ecological Perspective*. Ronald, New York.

Daubenmire, R.F. 1974. *Plants and Environment: A Textbook of Plant Autecology*, 3rd ed. Wiley, New York.

David, T.W.E. 1950. *The Geology of the Commonwealth of Australia*. Vol. II. Physiography. Edward Arnold, London.

Davies, J.L. 1964. A vegetation map of Tasmania. *Geographical Review* 54: 249-253.

del Moral, R., Clampitt, C. A. & Wood, D. M. 1985. Does interference cause niche differentiation? Evidence from subalpine plant communities. *American Journal of Botany* 72: 1891-1901.

Department of Mines 1976. *Geological Map of Tasmania, 1:500 000*. Department of Mines, Hobart, Tasmania.

Diamond, J.M. 1975. Assembly of species communities. In: Cody, M.L. & Diamond, J.M. (eds.) *Ecology and Evolution of Communities*, pp. 342-444. Harvard University Press, Cambridge, Massachusetts.

Diamond, J.M. & Gilpin, M.E. 1982. Examination of the "null" model of Connor and Simberloff for species co-occurrences on islands. *Oecologia* 52: 64-74.

Diamond, J.M. & Marshall, A.G. 1977. Distributional ecology of New Hebridean birds: a species kaleidoscope. *Journal of Animal Ecology* 46: 703-727.

Diem, Y. 1943. *Helechos y las Demás Criptogamas Vasculares*. Flora del Parque Nacional de Nahuel Huapi. Tomo I. Talls. Grafts., Buenos Aires.

Dimitri, M.J. (ed.) 1972. *La Región de los Bosques Andino-Patagónicos: Sinopsis General*. Instituto Nacional de Tecnología Agropecuaria, Buenos Aires.

Donoso Z., C. 1993. *Bosques Templados de Chile y Argentina: Variación, Estructura y Dinámica*. Editorial Universitaria, Santiago, Chile.

Drake, J.A. 1990. The mechanics of community assembly and succession. *Journal of Theoretical Biology* 147: 213-233.

- Du Rietz, G.E. 1931. Life forms of terrestrial flowering plants. *Acta Phytogeographica Suecia* 3: 1-95.
- Efron, B. & Tibshirani, R.J. 1993. *An Introduction to the Bootstrap*. Monographs on Statistics and Applied Probability Vol. 57. Chapman & Hall, New York.
- Egler, F.E. 1954. Vegetation science concepts. I. Initial floristic composition — a factor in old-field vegetation development. *Vegetatio* 4: 412-417.
- Ehleringer, J. 1981. Leaf absorptances of Mohave and Sonoran desert plants. *Oecologia* 49: 366-370.
- Eijssink, J., Ellenbroek, G., Holzner, W. & Werger, M.J.A. 1978. Dry and semi-dry grasslands in the Weinviertel, Lower Austria. *Vegetatio* 36: 129-148.
- Ellenberg, H. 1963. *Vegetation Mitteleuropas mit den Alpen*. Verlag Eugen Ulmer, Stuttgart.
- Ellsworth, D.S. & Reich, P.B. 1993. Canopy structure and vertical patterns of photosynthesis and related leaf traits in a deciduous forest. *Oecologia* 96: 169-178.
- Evans, J.R. 1989. Photosynthesis and nitrogen relationships in leaves of C₃ plants. *Oecologia* 78: 9-19.
- Faber-Langendoen, D. & Gentry, A.H. 1991. The structure and diversity of rainforests at Bajo Calima, Chocó Region, Western Colombia. *Biotropica* 23: 2-11.
- Fleming, T.H. 1985. Coexistence of sympatric *Piper* (Piperaceae) species in a tropical dry forest. *Ecology* 66: 688-700.
- Fleming, T.H. & Partridge, B.L. 1984. On the analysis of phenological overlap. *Oecologia* 62: 344-350.
- Floret, C., Galan, M.J., LeFloc'h, E., Orshan, G. & Romane, F. 1990. Growth forms and phenomorphology traits along an environmental gradient: tools for studying vegetation? *Journal of Vegetation Science* 1: 71-80.
- Floyd, A.G. 1990. *Australian Rainforests in New South Wales*. Vol. II. Surrey Beatty & Sons, Chipping Norton, New South Wales.
- Field, C. & Mooney, H.A. 1986. The photosynthesis-nitrogen relationship in wild plants. In: Givnish, T.J. (ed.) *On the Economy of Plant Form and Function*, pp. 25-55. Cambridge University Press, Cambridge.
- Fisher, L.D. & van Belle, G. 1993. *Biostatistics — A Methodology for the Health Sciences*. Wiley, New York.
- Foster, D.R. 1988. Disturbance history, community organization and vegetation dynamics of the oldgrowth Pisgah forest, south-western New Hampshire, U.S.A. *Journal of Ecology* 76: 105-134.

- Fox, B.J. 1981. Niche parameters and species diversity. *Ecology* 62: 1415-1425.
- Fox, B.J. & Brown, J.H. 1993. Assembly rules for functional groups in North American desert rodent communities. *Oikos* 67: 358-370.
- Fox, M.D. 1995. Australian mediterranean vegetation: intra- and intercontinental comparisons. In: Arroyo, M.T.K., Zedler, P.H. & Fox, M.D. (eds.) *Ecology and Biogeography of Mediterranean Ecosystems in Chile, California, and Australia*, pp. 137-159. Springer-Verlag, New York.
- Fuentes, E.R. 1980. Convergence of community structure: neutral model vs. field data. *Ecology* 61: 198-200.
- Gause, G.F. 1934. *The struggle for existence*. Williams & Wilkins, Baltimore, Ohio.
- Genstat 5 Committee, 1987. *Genstat 5 Reference Manual*. Clarendon Press, Oxford.
- Gilpin, M.E. & Diamond, J.M. 1982. Factors contributing to non-randomness in species occurrences on islands. *Oecologia* 52: 75-84.
- Gilpin, M.E. & Diamond, J.M. 1984. Are species co-occurrences on islands non-random, and are null hypotheses useful in community ecology? In: Strong, D.R., Jr., Simberloff, D., Abele, L.G. & Thistle, A.B. (eds.) *Ecological Communities: Conceptual Issues and the Evidence*, pp. 397-315. Princeton University Press, Princeton, New Jersey.
- Gilpin, M.E. & Diamond, J.M. 1987. Comments on Wilson's null model. *Oecologia* 74: 159-160.
- Gitay, H. & Noble, I.R., *in press*. What are functional types and how should we seek them? In: Smith, T.M., Shugart, H.H. & Woodward, F.I. (eds.) *Functional Types*. Cambridge University Press, Cambridge.
- Givnish, T.J. 1984. Leaf and canopy adaptations in tropical forests. In: Medina, E., Mooney, H.A. & Vásquez-Yanes, C. (eds.) *Physiological Ecology of Plants of the Wet Tropics*, pp. 51-84. Junk, The Hague.
- Givnish, T.J. 1987. Comparative studies of leaf form: assessing the relative roles of selective pressures and phylogenetic constraints. *New Phytologist* 106 (Suppl.): 131-160.
- Givnish, T.J. & Vermeij, G.J. 1976. Sizes and shapes of liane leaves. *American Naturalist* 110: 743-778.
- Gleason, H.A. 1926. The individualistic concept of the plant association. *Bulletin of the Torrey Botanical Club* 53: 7-26.
- Gleason, S.K. 1981. Character displacement in flowering phenologies. *Oecologia* 51: 294-295.
- Glenn-Lewin, D.C. 1976. Species diversity in North American temperate forests. *Vegetatio* 33: 153-162.

- Golluscio, R.A. & Sala, O.E. 1993. Plant functional types and ecological strategies in Patagonian forbs. *Journal of Vegetation Science* 4: 839-846.
- Good, P. 1994. *Permutation Tests: A Practical Guide to Resampling Methods for Testing Hypotheses*. Springer-Verlag, New York.
- Goodall, D.W. 1966. The nature of the mixed community. *Proceedings of the Ecological Society of Australia* 1: 84-96.
- Gould, K.S. 1993. Leaf heteroblasty in *Pseudopanax crassifolius*: functional significance of leaf morphology and anatomy. *Annals of Botany* 71: 61-70.
- Grace, J. 1977. *Plant Response to Wind*. Academic Press, London.
- Grant, P.R. & Abbott, I. 1980. Interspecific competition, island biogeography and null hypotheses. *Evolution* 34: 332-341.
- Greenwood, R.M. & Atkinson, I.A.E. 1977. Evolution of divaricating plants in New Zealand in relation to moa browsing. *Proceedings of the New Zealand Ecological Society* 24: 21-33.
- Greller, A.M. & Balasubramaniam, S. 1988. Vegetational composition, leaf size, and climate warmth in an altitudinal sequence of evergreen forests in Sri Lanka (Ceylon). *Tropical Ecology* 29: 121-145.
- Greze, R., unpublished. *Análisis Químico de Suelos*. Instituto de Silvicultura, Universidad Austral de Chile. Valdivia, Chile.
- Grime, J.P. 1977. Evidence for the existence of three primary strategies in plants and its relevance to ecological and evolutionary theory. *American Naturalist* 111: 1169-1194.
- Grime, J.P. 1979. *Plant Strategies and Vegetation Processes*. John Wiley & Sons, Chichester.
- Grubb, P.J., Lloyd, J.R., Pennington, T.D. & Whitmore, T.C. 1963. A comparison of montane and lowland rainforest in Ecuador. I. Forest structure, physiognomy, and floristics. *Journal of Ecology* 51: 567-602.
- Grubb, P.J. 1977. Control of forest growth and distribution on wet tropical mountains. *Annual Review of Ecology and Systematics* 8: 83-107.
- Guillén, D.F., De las Heras, P., Herrera, P. & Pineda, F.D. 1994. Shrub architecture and occupation of space in a Mediterranean sclerophyllous shrubland. *Journal of Vegetation Science* 5: 497-504.
- Gulmon, S.L. & Chu, C.C. 1981. The effects of light and nitrogen on photosynthesis, leaf characteristics, and dry matter allocation in the Chaparral shrub, *Diplacus aurantiacus*. *Oecologia* 49: 207-212.
- Hall, J.B. & Swaine, M.D. 1981. *Distribution and Ecology of Plants in a Tropical Rain Forest*.

Junk, The Hague.

Hallé, F., Oldeman, R.A.A. & Tomlinson, P.B. 1978. *Tropical Trees and Forests, an Architectural Analysis*. Springer, Berlin.

Halloy, S. 1990. A morphological classification of plants, with special reference to the New Zealand alpine flora. *Journal of Vegetation Science* 1: 291-304.

Hamilton, A.C. 1975. A quantitative analysis of altitudinal zonation in Uganda forests. *Vegetatio* 30: 99-106.

Harden, G.J. 1990. *Flora of New South Wales*. New South Wales University Press, Sydney.

Hardin, G. 1960. The competitive exclusion principle. *Science* 131: 1292-1297.

Harris, J.R.W. 1979. The evidence for species guild is artifact. *Nature* 279: 350-351.

Harvey, P.H., Colwell, R.K., Silvertown, J.W. & May, R.M. 1983. Null models in ecology. *Annual Review of Ecology and Systematics* 14: 189-211.

Harvey, P.H. & Pagel, M.D. 1991. *The Comparative Method in Evolutionary Biology*. Oxford University Press, Oxford.

Hättenschwiler, S. & Körner, Ch. 1995. Responses to recent climatewarming of *Pinus silvestris* and *Pinus cembra* within their montane transition zone in the Swiss alps. *Journal of Vegetation Science* 6: 357-368.

Hawkins, C.P. & MacMahon, J.A. 1989. Guilds: the multiple meanings of a concept. *Annual Review of Entomology* 34: 423-451.

Herbert, T.J. & Nilson, T. 1991. A model of variance in photosynthesis between leaves and maximization of whole plant photosynthesis. *Photosynthetica* 25: 597-606.

Hill, R.S. 1982. Rainforest fire in western Tasmania. *Australian Journal of Botany* 30: 583-589.

Hill, R.S. 1992. *Nothofagus*: evolution from a southern perspective. *Trends in Ecology and Evolution* 7: 190-194.

Hill, R.S. 1994. The history of selected Australian taxa. In: Hill, R.S. (ed.) *History of the Australian Vegetation: Cretaceous to Recent*, pp. 390-419. Cambridge University Press, Cambridge.

Hill, R.S. & Read, J. 1984. Post-fire regeneration of rainforest and mixed forest in western Tasmania. *Australian Journal of Botany* 32: 481-493.

Hill, R.S. & Read, J. 1991. A revised infrageneric classification of *Nothofagus* (Fagaceae). *Botanical Journal of the Linnean Society* 105: 37-72.

Hollinger, D.Y. 1989. Canopy organization and foliage photosynthetic capacity in a broad-leaved

evergreen montane forest. *Functional Ecology* 3: 53-62.

Hollinger, D.Y. 1992. Leaf and simulated whole-canopy photosynthesis in two co-occurring tree species. *Ecology* 73: 1-14.

Holmes, R.T., Bonney, R.E., Jr. & Pacala, S.W. 1979. Guild structure of the Hubbard Brook bird community: a multivariate approach. *Ecology* 62: 512-520.

Howard, T.M. 1981. Southern closed forests. In: Groves, R.M. (ed.) *Australian Vegetation*, pp. 102-120. Cambridge University Press, London.

Howard, T.M. & Ashton, D.H. 1978. The distribution of *Nothofagus cunninghamii* rainforest. *Proceedings of the Ecological Society of Victoria* 86: 47-75.

Hubbell, S.P. & Foster, R.B. 1986. Biology, chance, and history and the structure of tropical rain forest tree communities. In: Diamond, J. & Case, T.J. (eds.) *Community Ecology*, pp. 314-329. Harper & Row, New York.

Humboldt, A. von 1806. *Ideen zu einer Physiognomik der Gewächse*. Cotta, Stuttgart.

Hunter, A.F. & Aarssen, L.W. 1988. Plants helping plants. *BioScience* 38: 34-40.

Huston, M. 1980. Soil nutrients and tree species richness in Costa Rican forests. *Journal of Biogeography* 7: 147-157.

Hutchinson, G.E. 1958. Concluding remarks. *Cold Spring Harbour Symposium on Quantitative Biology* 22: 415-427.

Hutchinson, G.E. 1959. Homage to Santa Rosalia or Why are there so many kinds of animals? *American Naturalist* 93: 342-356.

Hutchinson, M.F. 1984. *A Summary of some Surface Fitting and Contouring Programs for Noisy Data*. Consulting Report No. ACT 84/6. Division of Mathematics and Statistics and Division of Water and Land Resources, C.S.I.R.O., Canberra.

Inouye, D.W. 1977. Species structure of bumblebee communities in North America and Europe. In: Mattson, W.J. (ed.) *The Role of Arthropods in Forest Ecosystems*, pp. 35-40. Springer-Verlag, New York.

Inskeep, W.P. & Bloom, P.R. 1985. Extinction coefficients of chlorophyll *a* and *b* in N,N-dimethylformamide and 80% acetone. *Plant Physiology* 77: 483-485.

Jackson, L.W.R. 1967. Effect of shade on leaf structure of deciduous tree species. *Ecology* 48: 498-499.

Jackson, W.D. 1983. Tasmanian rainforest. In: Blakers, R. & Robertson, P. (eds.) *Tasmania's Rainforest. What Future?* pp. 9-39. Australian Conservation Foundation, Hobart, Tasmania.

Jaksi_, F.M. 1981. Abuse and misuse of the term "guild" in ecological studies. *Oikos* 37: 397-

400.

Jaksi_, F.M. & Delibes, M. 1987. A comparative analysis of food-niche relationships and trophic guild structure in two assemblages of vertebrate predators differing in species richness: causes, correlations and consequences. *Oecologia* 71: 461-472.

Jakubowski, N. & Stuewer, D. 1994. Recent progress in plasma mass spectrometry. In: Littlejohn, D. & Thorburn Burns, D. (eds.) *Reviews on Analytical Chemistry*, pp. 121-144. Royal Society of Chemistry, Cambridge.

James, F.C. & Boecklen, W.J. 1984. Interspecific morphological relationships and the densities of birds. In: Strong, D.R., Simberloff, D., Abele, L.G. & Thistle, A.B. (eds.) *Ecological Communities: Conceptual Issues and the Evidence*, pp. 458-477. Princeton University Press, Princeton, New Jersey.

Jane, G.T. 1986. Wind damage as an ecological process in mountain beech forests of Canterbury, New Zealand. *New Zealand Journal of Ecology* 9: 25-39.

Jane, G.T. 1994. The impact of browsing animals on the stand dynamics of monotypic mountain beech (*Nothofagus solandri*) forests in Canterbury, New Zealand. *Australian Journal of Botany* 42: 113-124.

Jarman, S.J., Brown, M.J. & Kantvilas, G. 1984. *Rainforest in Tasmania*. National Parks & Wildlife Service, Hobart, Tasmania.

Jones, D.L. & Clemesha, S.C. 1980. *Australian Ferns and Fern Allies*. A.H. Reed, Sydney.

Jongman, R.H.G., ter Braak, C.F.J. & van Tongeren, O.F.R. 1987. *Data Analysis in Community and Landscape Ecology*. Pudoc, Wageningen, The Netherlands.

Jordan, C.F. 1971. A world pattern in plant energetics. *American Scientist* 59: 425-433.

Jordan, G.J. & Hill, R.S. 1994. Past and present variability in leaf length of evergreen members of *Nothofagus* subgenus *Lophozonia* related to ecology and population dynamics. *New Phytologist* 127: 377-390.

June, S.R. & Ogden, J. 1975. Studies on the vegetation of Mt. Colenso, New Zealand. 3. The population dynamics of red beech seedlings. *Proceedings of the New Zealand Ecological Society* 22: 61-66.

June, S.R. & Ogden, J. 1978. Studies on the vegetation of Mount Colenso, New Zealand. 4. An assessment of the process of canopy maintenance and regeneration strategy in a red beech (*Nothofagus fusca*) forest. *New Zealand Journal of Ecology* 1: 7-15.

Kaiser, H.F. 1958. The varimax criterion for analytic rotation in factor analysis. *Psychology* 23: 187-200.

Keddy, P.A. 1976. Lakes as islands: the distributional ecology of two aquatic plants, *Lemna*

minor L. and *L. trisulca* L. *Ecology* 57: 353-358.

Keddy, P.A. 1992. Assembly and response rules: two goals for predictive community ecology. *Journal of Vegetation Science* 3: 157-164.

Keddy, P.A. 1993. Do ecological communities exist? A reply to Bastow Wilson. *Journal of Vegetation Science* 4: 135-136.

Keeley, J.E. 1992. A Californian's view of fynbos. In: Cowling, R.M. (ed.) *The Ecology of Fynbos - Nutrients, Fire and Diversity*, pp. 372-388. Oxford University Press, Cape Town.

Kolasa, J. & Biesiadka, E. 1984. Diversity concepts in ecology. *Acta Biotheoretica* 33: 145-162.

Körner, Ch. 1994. Scaling from species to vegetation: the usefulness of functional groups. In: Schulze, E.-D. & Mooney, H.A. (eds.) *Biodiversity and Ecosystem Function*, pp. 117-140. Springer-Verlag, Berlin..

Körner, Ch., Neumayer, M., Menendez-Riedl, S.P. & Smeets-Scheel, A. 1989. Functional morphology of mountain plants. *Flora* 182: 353-383.

Kramer, P.J. 1983. *Water Relations of Plants*. Academic Press, New York.

Kramer, P.J. & Kozlowski, T.T. 1979. *Physiology of Woody Plants*. Academic Press, New York.

Lauri, H. & Cowling, R.M. 1994. Lottery coexistence models extended to plants with disjoint generations. *Journal of Vegetation Science* 5: 161-168.

Lausi, D., Nimis, P.L. & Tretiach, M. 1989. Adaptive leaf structures in a *Myrica-Erica* stand on Tenerife (Canary Islands). *Vegetatio* 79: 133-142.

Lawton, J.H. & Rallison, S.P. 1979. Stability and diversity in grassland communities. *Nature* 279: 351.

Losos, J.B., Naeem, S. & Colwell, R.K. 1989. Hutchinsonian ratios and statistical power. *Evolution* 43: 1820-1826.

Loveless, A.R. 1961. A nutritional interpretation of sclerophyllous and mesophytic leaves. *Annals of Botany* 25: 164-168.

Loveless, A.R. 1962. Further evidence to support a nutritional interpretation of sclerophylly. *Annals of Botany* 26: 549-561.

Lowman, M.D. 1992. Leaf growth dynamics and herbivory in five species of Australian rain-forest canopy trees. *Journal of Ecology* 80: 433-447.

Luther, H. 1949. Vorschlag zu einer ökologischen Grundeinteilung der Hydrophyten. *Acta Botanica Fennica* 44: 1-15.

MacArthur, R.H. 1964. Environmental factors affecting bird species diversity. *American*

Naturalist 98: 387-397.

MacArthur, R.H. 1971. Patterns of terrestrial bird communities. In: Farner, D.S. & King, J.R. (eds.) *Avian Biology* Vol. 1, pp. 189-221. Academic Press, New York.

MacArthur, R.H. 1972a. Coexistence of species. In: Behnke, J.A. (ed.) *Challenging Biological Problems: Directions Toward their Solution*, pp. 253-259. Oxford University Press, New York.

MacArthur, R.H. 1972b. *Geographical Ecology*. Harper & Row, New York.

MacArthur, R.H. & Levins, R. 1967. The limiting similarity, convergence and divergence of coexisting species. *American Naturalist* 101: 377-385.

MacArthur, R.H. & Wilson, E.O. 1967. *The Theory of Island Biogeography*. Princeton University Press, Princeton, New Jersey.

Mackey, B.G. 1993. A spatial analysis of the environmental relationships of rainforest structural types. *Journal of Biogeography* 20: 303-336.

MacMahon, J.A., Schimpf, D.J., Anderson, D.C., Smith, K.G. & Bayn, R.L., Jr. 1981. An organism-centred approach to some community and ecosystem concepts. *Journal of Theoretical Biology* 88: 287-307.

MacNally, R.C. 1988. On the statistical significance of the Hutchinsonian size-ratio parameter. *Ecology* 69: 1974-1982.

MacNally, R.C. & Doolan, J.M. 1986. An empirical approach to guild structure: habitat relationships in nine species of eastern-Australian cicadas. *Oikos* 47: 33-46.

MacPhail, M.K., Jordan, G.J. & Hill, R.S. 1993. Key periods in the evolution of the Tasmanian vegetation and flora. 1. The early-middle Pleistocene. *Australian Journal of Botany* 41: 637-707.

Manly, B.F.J. 1991. *Randomisation and Monte Carlo Methods in Biology*. Chapman & Hall, London.

Manly, B.F.J. 1994. *Multivariate Statistical Methods: A Primer* (2nd ed.) Chapman & Hall, London.

Manly, B.F.J. 1995. A note on the analysis of species co-occurrences. *Ecology* 76: 1109-1115.

Manly, B.F.J. 1996. Are there clumps in body-size distributions? *Ecology* 77: 81-86.

Margules, C.R., Nicholls, A.O. & Austin, M.P. 1987. Diversity of *Eucalyptus* species predicted by a multi-variable environmental gradient. *Oecologia* 71: 229-232.

Mark, A.F., Dickinson, K.J.M. & Fife, A.J. 1989 Forest succession on landslides in the Fiord Ecological Region, southwestern New Zealand. *New Zealand Journal of Botany* 27: 369-390.

Martcorena, C. & Quezada, M. 1985. *Catálogo de la Flora Vascular de Chile*. Gayana Botanica

Vol. 42. (Nos. 1-2). Universidad de Concepción, Concepción, Chile.

Martin, P.G. & Dowd, J.M. 1988. A molecular evolutionary clock for angiosperms. *Taxon* 37: 364-377.

May, R.M. 1978. The dynamics and diversity of insect faunas. *Symposia of the Royal Entomological Society of London* 9: 188-204.

May, R.M. & MacArthur, R.H. 1972. Niche overlap as a function of environmental variability. *Proceedings of the National Academy of Sciences of the USA* 69: 1109-1113.

McIntyre, S. & Lavorel, S. 1994. Predicting richness of native, rare and exotic plants in response to habitat and disturbance variables across a variegated landscape. *Conservation Biology* 8: 521-531.

Medina, E. 1984. Nutrient balance and physiological processes at the leaf level. In: Medina, E., Mooney, H.A., & Vásquez-Yáanes (eds.) *Physiological Ecology of Plants of the Wet Tropics*, pp. 139-154. Junk, The Hague.

Meurk, C.D. 1984. Bioclimatic zones for the antipodes--and beyond? *New Zealand Journal of Ecology* 7: 175-181.

Mitchell, N.D. 1991. The derivation of climate surfaces for New Zealand, and their application to the bioclimatic analysis of the distribution of kauri (*Agathis australis*). *Journal of the Royal Society of New Zealand* 21: 13-24.

Montenegro, G. & Ginocchio, R. 1995. Ecomorphological characters as a resource for illustrating growth-form convergence in matorral, chaparral and mallee. In: Arroyo, M.T.K., Zedler, P.H. & Fox, M.D. (eds.) *Ecology and Biogeography of Mediterranean Ecosystems in Chile, California, and Australia*, pp. 160-176. Springer-Verlag, New York.

Mooney, H.A., Dunn, E.L., Shropshire, F. & Song, L. 1970. Vegetation comparisons between the Mediterranean climate areas of California and Chile. *Flora* 159: 480-496.

Mooney, H.A., Kummerow, J., Johnson, A.W., Parsons, D.J., Keeley, S., Hoffmann, A., Hays, R.I., Giliberto, J. & Chu, C. 1977. The producers—their resources and adaptive responses. In: Mooney, H.A. (ed.) *Convergent evolution in Chile and California*, pp. 85-143. Dowden, Hutchinson & Ross, Stroudsburg, Pennsylvania.

Moore, L.B. & Edgar, E. 1970. *Flora of New Zealand*. Vol. II. Government Printer, Wellington.

Moran, R. 1982. Formulae for determination of chlorophyllous pigments extracted with N,N-dimethylformamide. *Plant Physiology* 69: 1376-1381.

Moran, R. & Porath, D. 1980. Chlorophyll determination in intact tissues using N,N-dimethylformamide. *Plant Physiology* 65: 478-479.

Mulkey, S.S., Wright, S.J. & Smith, A.P. 1993. Comparative physiology and demography of three neotropical forest shrubs — alternative shade-adaptive character syndromes. *Oecologia* 96:

526-536.

Naveh, Z. 1967. Mediterranean ecosystems and vegetation types in California and Israel. *Ecology* 48: 445-459.

Naveh, Z. & Whittaker, R.H. 1979. Structural and floristic diversity of shrublands and woodlands in Northern Israel and other Mediterranean area. *Vegetatio* 41: 171-190.

New Zealand Geological Survey 1972. *Geological Map of New Zealand 1:1 000 000*. South Island (1st ed.) Department of Scientific and Industrial Research, Wellington.

Nicholson, S.A. & Monk, C.D. 1974. Plant species diversity in old field succession on the Georgia Piedmont. *Ecology* 55: 1073-1085.

Niemi, G.J. 1985. Patterns of morphological evolution in bird genera of New World and Old World peatlands. *Ecology* 66: 1215-1228.

Nix, H.A. 1986. A biogeographic analysis of Australian Elapid snakes. In: Longmore, R. (ed.) *Atlas of Elapid Snakes of Australia*, pp. 4-15. Australian Government Publishing Service, Canberra.

Nixon, K.C. 1989. Origins of Fagaceae. In: Crane, P.R. & Blackmore, S. (eds.) *Evolution, Systematics, and Fossil History of the Hamamelidae*, Vol. 2. 'Higher' Hamamelidae, pp. 23-43. Clarendon Press, Oxford.

Odum, E. 1975. Diversity as a function of energy flow. In: Van Dobben, W.A. & Lowe-McConnell (eds.) *Unifying Concepts in Ecology*, pp. 11-26. Junk, The Hague.

Orians, G.H. & Solbrig, O.T. 1977. *Convergent Evolution in Warm Deserts*. Dowden, Hutchinson & Ross, Stroudsburg, Pennsylvania.

Orians, G.H. & Paine, R.T. 1983. Convergent evolution at the community level. In: Futuyma, D. J. & Slatkin, M. (eds.) *Coevolution*, pp. 431-458. Sinauer Associates, Sunderland, Massachusetts.

Orr, S. 1993. *Climatic Prediction with ESOCIM, EPLUS and BIOCLIM*. Unpublished report, Forestry Commission, Hobart, Tasmania.

Palmer, M.W. 1987. Variability in species richness within Minnesota oldfields: a use of the variance test. *Vegetatio* 70: 61-64.

Palmer, M.W. & White, P.S. 1994. On the existence of ecological communities. *Journal of Vegetation Science* 5: 279-282.

Parkhurst, D.F. 1986. Internal leaf structure: a three-dimensional perspective. In: Givnish, T.J. (ed.) *On the Economy of Plant Form and Function*, pp. 215-249. Cambridge University Press, Cambridge.

Parkhurst, D.F. & Loucks, O.L. 1972. Optimal leaf size in relation to environment. *Journal of Ecology* 60: 505-537.

- Parsons, D.J. 1976. Vegetation structure in the Mediterranean scrub communities of California and Chile. *Journal of Ecology* 64: 435-447.
- Parsons, D.J. & Moldenke, A.R. 1975. Convergence in vegetation structure along analogous climatic gradients in California and Chile. *Ecology* 56: 950-957.
- Peet, R.K. 1978. Ecosystem convergence. *American Naturalist* 112: 441-459.
- Pianka, E.R. 1966. Latitudinal gradients in species diversity: a review of concepts. *American Naturalist* 100: 33-46.
- Pianka, E.R. 1975. Niche relations of desert lizards. In: Cody, M.L. & Diamond, J.M. (eds.) *Ecology and Evolution of Communities*, pp. 292-314. Harvard University Press, Cambridge, Massachusetts.
- Pianka, E.R. 1976. Competition and niche theory. In: May, R.M. (ed.) *Theoretical Ecology: Principles and Applications*, pp. 114-141. Blackwell, Oxford.
- Pianka, E.R. 1978. *Evolutionary Ecology*, 2nd ed. Harper & Row, New York.
- Pianka, E.R. 1980. Guild structure in desert lizards. *Oikos* 35: 194-201.
- Pianka, E.R. 1994. *Evolutionary Ecology*, 5th ed. HarperCollins, New York.
- Pickett, S.T.A. & Bazzaz, F.A. 1978. Organization of an assemblage of early successional species on a soil moisture gradient. *Ecology* 59: 1248-1255.
- Pickett, S.T.A., Collins, S.L. & Armesto, J.J. 1987. Models, mechanisms and pathways during succession. *Botanical Review* 53: 335-371.
- Pleasants, J.M. 1980. Competition for bumblebee pollinators in Rocky Mountain plant communities. *Ecology* 61: 1446-1459.
- Pleasants, J.M. 1990. Null-model tests for competitive displacement: the fallacy of not focusing on the whole community. *Ecology* 71: 1078-1084.
- Pleasants, J.M. 1994. A comparison of test statistics used to detect competitive displacement in body size. *Ecology* 75: 847-850.
- Poole, R.W. & Rathcke, B.J. 1979. Regularity, randomness, and aggregation in flowering phenologies. *Science* 203: 470-471.
- Popma, J., Bongers, F. & Werger, M.J.A. 1992. Gap-dependence and leaf characteristics of trees in a tropical lowland rain forest in Mexico. *Oikos* 63: 207-214.
- Prentice, I.C., Cramer, W., Harrison, S.P., Leemans, R., Monserud, R.A., Solomon, A.M. 1992. A global biome model based on plant physiology and dominance, soil properties and climate.

Journal of Biogeography 19: 117-134.

Prickard, G.J. 1980. *Land Systems of Tasmania*. Region 4. Department of Agriculture, Hobart, Tasmania.

Putney, A.D. 1970. *Plan de Manejo y Desarrollo del Parque Nacional Puyehue*. Corporación Nacional Forestal, Osorno, Chile.

Rabinowitz, D. 1981. Seven forms of rarity. In: Synge, H. (ed.) *Biological Aspects of Rare Plant Conservation*, pp. 205-217. Wiley, New York.

Rabinowitz, D., Rapp, J., Sork, V., Rathcke, B., Reese, G. & Weaver, J. 1981. Phenological properties of wind- and insect-pollinated prairie plants. *Ecology* 62: 49-56.

Raunkiaer, C. 1934. *The Life Forms of Plants and Statistical Plant Geography*. Clarendon Press, Oxford.

Read, J. & Hill, R.S. 1985. Dynamics of *Nothofagus* dominated rainforest on mainland Australia and lowland Tasmania. *Vegetatio* 63: 67-78.

Read, J. & Hill, R.S. 1988. The dynamics of some rainforest associations in Tasmania. *Journal of Ecology* 76: 558-584.

Reich, P.B., Uhl, C., Walters, M.B. & Ellsworth, D.S. 1991. Leaf lifespan as a determinant of leaf structure and function among 23 amazonian tree species. *Oecologia* 86: 16-24.

Reich, P.B., Walters, M.B. & Ellsworth, D.S. 1992. Leaf life-span in relation to leaf, plant and stand characteristics among diverse ecosystems. *Ecological Monographs* 62: 365-392.

Reich, P.B. & Walters, M.B. 1994. Photosynthesis-nitrogen relations in Amazonian tree species. *Oecologia* 97: 73-81.

Rice, B. & Westoby, M. 1983a. Plant species richness at the 0.1 hectare scale in Australian vegetation compared to other continents. *Vegetatio* 52: 129-140.

Rice, B. & Westoby, M. 1983b. Species richness in vascular vegetation of the West Head, New South Wales. *Australian Journal of Ecology* 8: 163-168.

Richardson, D.M., Cowling, R.M., Lamont, B.B. & van Hensbergen, H.J. 1995. Coexistence of *Banksia* species in southwestern Australia: the role of regional and local processes. *Journal of Vegetation Science* 6: 329-342.

Ricklefs, R.E. 1973. *Ecology*. Chiron, Newton, Massachusetts.

Ricklefs, R.E. 1987. Community diversity: relative roles of local and regional processes. *Science* 235: 167-171.

Ricklefs, R.E. & Travis, J. 1980. A morphological approach to the study of avian community

organization. *The Auk* 97: 321-338.

Riddolls, P.M. 1987. *New Zealand Geology*. Science Information Publishing Centre, Department of Scientific and Industrial Research, Wellington.

Rieley, J. & Page, S. 1990. *Ecology of Plant Communities*. Longman, Harlow, Essex.

Roberts, A. & Stone, L. 1990. Island-sharing by archipelago species. *Oecologia* 83: 560-567.

Robertus, A.J., Veblen, T.T. & Kitzberger, T. 1993. Gap formation and dieback in Fuego-Patagonian *Nothofagus* forests *Phytocoenologia* 23: 581-599.

Rojas, C. & Subiabre, A. 1991. Interpretación de la carta geológica de la región de Los Lagos. *Revista Geográfica de Chile Terra Australis* 34: 77-90.

Romero, E. J. 1986. Fossil evidence regarding the evolution of *Nothofagus* Blume. *Annals of the Missouri Botanical Gardens* 73: 276-283.

Root, R. B. 1967. The niche exploitation pattern of the blue-gray gnatcatcher. *Ecological Monographs* 37: 317-350.

Root, R.B. & Chaplin, S.J. 1976. The life-styles of tropical milkweed bugs, *Oncopeltus* (Hemiptera: Lygaeidae) utilizing the same hosts. *Ecology* 57: 235-242.

Russell, E.J. 1950. *Soil Conditions and Plant Growth*, 8th ed. Longmans, Green & Co., London.

Salisbury, F.B. & Ross, C.W. 1985. *Plant Physiology*, 3rd ed. Wadsworth, Belmont, California.

Salminen, R., Nilson, T., Hari, P., Kaipainen, L. & Ross, J. 1983. A comparison of different methods for measuring the canopy light regime. *Journal of Applied Ecology* 20: 897-904.

Salt, G.W. 1979. A comment on the use of the term "emergent properties." *American Naturalist* 113: 145-148.

Schimper, A.F.W. 1903. *Plant-Geography upon a Physiological Basis*. Clarendon Press, Oxford.

Schluter, D. 1986. Tests for similarity and convergence of finch communities. *Ecology* 67: 1073-1085.

Schluter, D. 1990. Species-for-species matching. *American Naturalist* 136: 560-568.

Schoener, T.W. 1984. Size differences among sympatric, bird-eating hawks: a worldwide survey. In: Strong, D.R., Simberloff, D., Abele, L.G. and Thistle, A.B. (eds.) *Ecological Communities: Conceptual Issues and The Evidence*, pp. 254-281. Princeton University Press, Princeton, New Jersey.

Schoener, T.W. 1986. Overview: kinds of ecological communities — ecology becomes pluristic. In: Diamond, J. & Case, T.J. (eds.) *Community Ecology*, pp. 467-479. Harper & Row, New York.

- Schoener, T.W. & Adler, G.H. 1991. Greater resolution of distributional complementarities by controlling for habitat affinities: a study with Bahamian lizards and birds. *American Naturalist* 137: 669-692.
- Sherry, T.W. & Holmes, R.T. 1988. Habitat selection by breeding American Redstarts in response to a dominant competitor, the Least Flycatcher. *The Auk* 105: 350-364.
- Shmida, A. & Ellner, S. 1984. Coexistence of plant species with similar niches. *Vegetatio* 58: 29-55.
- Shmida, A. & Werger, M.J.A. 1992. Growth form diversity on the Canary Islands. *Vegetatio* 102: 183-199.
- Silverman, B.W. 1981. Using kernel density estimates to investigate multimodality. *Journal of the Royal Statistical Society B* 43: 97-99.
- Simberloff, D. 1982. The status of competition theory in ecology. *Annales Zoologici Fennici* 19: 241-253.
- Simberloff, D. 1984. The great god of competition. *The Sciences* 24: 16-22.
- Simberloff, D. & Boecklen, W. 1981. Santa Rosalia reconsidered: size ratios and competition. *Evolution* 35: 1206-1228.
- Simberloff, D. & Dayan, T. 1991. The guild concept and the structure of ecological communities. *Annual Review of Ecology and Systematics* 22: 115-143.
- Simpson, G.G. 1964. Species density of North American recent mammals. *Systematic Zoology* 13: 57-73.
- Sinclair, D.F., Mosimann, J.E. & Meeter, D.A. 1985. Tests for character displacement. *Biometrics* 41: 835-846.
- Smith, A.P. 1973. Stratification of temperate and tropical forests. *American Naturalist* 107: 671-683.
- Smith, B., Mark, A.F. & Wilson, J.B. 1995. A functional analysis of New Zealand alpine vegetation: variation in canopy roughness and functional diversity in response to an experimental wind barrier. *Functional Ecology* 9: 904-912.
- Smith, B., Moore, S.H., Grove, P.B., Harris, N.S., Mann, S. & Wilson, J.B. 1994. Vegetation texture as an approach to community structure: community-level convergence in a New Zealand temperate rainforest. *New Zealand Journal of Ecology* 18: 41-50.
- Snedecor, G.W. & Cochran, W.G. 1967. *Statistical Methods*, 6th ed. Iowa State University Press, Ames, Iowa.
- Snow, D.W. 1965. A possible selective factor in the evolution of fruiting seasons in tropical forest. *Oikos* 15: 274-281.

Sobrado, M.A. & Medina, E. 1980. General morphology, anatomical structure and nutrient content of sclerophyllous leaves of the "Bana" vegetation of Amazonas. *Oecologia* 45: 341-345.

Sokal, R.R. & Rohlf, F.J. 1969. *Biometry*. Freeman, San Francisco.

Specht, R.L. 1969. A comparison of the sclerophyllous vegetation characteristic of mediterranean type climates in France, California and Southern Australia. *Australian Journal of Botany* 17: 277-292.

SPSS Inc. 1986. *SPSS-X User's Guide*, 2nd ed. McGraw-Hill, New York.

Stevens, G.C. 1989. The latitudinal gradient in geographic range: how so many species coexist in the tropics. *American Naturalist* 133: 240-256.

Stiles, F.G. 1977. Coadapted competitors: the flowering seasons of hummingbird-pollinated plants in a tropical forest. *Science* 198: 1177-1178.

Stiles, F.G. 1979. Reply to Poole and Rathcke. *Science* 203: 471.

Stone, L. & Roberts, A. 1990. The checkerboard score and species distributions. *Oecologia* 85: 74-79.

Stone, L. & Roberts, A. 1992. Competitive exclusion, or species aggregation: an aid in deciding. *Oecologia* 91: 419-424.

Strong, D.R., Simberloff, D., Abele, L.G. & Thistle, A.B. (eds.) 1984. *Ecological Communities: Conceptual Issues and the Evidence*. Princeton University Press, Princeton, New Jersey.

Strong, D.R., Szyska, L.A. and Simberloff, D.S. 1979. Tests of community-wide character displacement against null hypotheses. *Evolution* 33: 897-913.

Stewart, G.H. 1986. Forest dynamics and disturbance in a beech/hardwood forest, Fiordland, New Zealand. *Vegetatio* 68: 115-126.

Stewart, G.H. & Rose, A.B. 1990. The significance of life history strategies in the developmental history of mixed beech (*Nothofagus*) forests, New Zealand. *Vegetatio* 87: 101-114.

Stewart, G.H., Rose, A.B. & Veblen, T.T. 1991. Forest development in canopy gaps in old-growth beech (*Nothofagus*) forests, New Zealand. *Journal of Vegetation Science* 2: 679-690.

Taper, M.L. & Case, T.J. 1992. Coevolution among competitors. *Oxford Surveys in Evolutionary Biology* 8: 63-109. Oxford University Press, New York.

Taylor, S.E. 1972. Optimal leaf form. In: Gates, D.M. & Schmerl, R.B. (eds.) *Perspectives of Biophysical Ecology*, pp. 73-86. Springer-Verlag, New York.

Terborgh, J. & Robinson, S. 1986. Guilds and their utility in ecology. In: Kikkawa, J. & Anderson, D.J. (eds.) *Community Ecology: Pattern and Process*, pp. 65-90. Blackwell, Palo Alto,

California.

Thomson, J.D. & Rusterholz, K.A. 1982. Overlap summary indices and the detection of community structure. *Ecology* 63: 274-277.

Thorne, R.F. 1983. Proposed new realignments in the angiosperms. *Nordic Journal of Botany* 3: 85-117.

Tilman, D. 1982. *Resource Competition and Community Structure*. Princeton University Press, Princeton, New Jersey.

Tilman, D. 1988. *Plant Strategies and the Dynamics and Structure of Plant Communities*. Princeton University Press, Princeton, New Jersey.

Toft, C.A., Trauger, D.L. & Murdy, H.W. 1982. Tests for species interactions: breeding phenology and habitat use in subarctic ducks. *American Naturalist* 120: 586-613.

Tokeshi, M. 1986. Resource utilization, overlap and temporary community dynamics: a null model analysis of an epiphytic chironomid community. *Journal of Animal Ecology* 55: 491-506.

Tonkyn, D.W. & Cole, B.J. 1986. The statistical analysis of size ratios. *American Naturalist* 128: 66-81.

Tonteri, T., Mikkola, K. & Lahti, T. 1990. Compositional gradients in the forest vegetation of Finland. *Journal of Vegetation Science* 1: 691-698.

Turner, J.C. 1976. An altitudinal transect in rain forest in the Barrington Tops area, New South Wales. *Australian Journal of Ecology* 1: 155-174.

Vallis, I. 1978. Nitrogen relationships in grass/legume mixtures. In: Wilson, J.R. (ed.) *Plant relations in Pastures*, pp. 190-201. Commonwealth Scientific and Industrial Research Organisation, Melbourne.

Van der Maarel, E. 1988. Species diversity in plant communities in relation to structure and dynamics. In: During, H.J., Werger, M.J.A. & Willems, J.H. (eds.) *Diversity and Pattern in Plant Communities*, pp. 1-14. SPB Academic Publishing, The Hague.

Van der Moezel, P.G. & Bell, D.T. 1989. Plant species richness in the mallee region of Western Australia. *Australian Journal of Ecology* 14: 221-226.

Vasander, H. 1987. Diversity of understorey biomass in virgin and in drained and fertilized southern boreal mires in eastern Fennoscandia. *Annales Botanici Fennici* 24: 137-153.

Veblen, T.T. 1979. Structure and dynamics of *Nothofagus* forests near timberline in south-central Chile. *Ecology* 60: 937-945.

Veblen, T.T. 1985. Stand dynamics in Chilean *Nothofagus* forests. In: Pickett, S.T.A. & White, P.S. (eds.) *The Ecology of Natural Disturbance and Patch Dynamics*, pp. 35-51. Academic Press, Orlando, Florida.

- Veblen, T.T. 1989. Tree regeneration responses to gaps along a transandean gradient. *Ecology* 70: 541-543.
- Veblen, T.T., Ashton, D.H., Rubulis, S., Lorenz, D.C. & Cortes, M. 1989. *Nothofagus* stand development on in-transit moraines, Casa Pangué Glacier, Chile. *Arctic and Alpine Research* 21: 144-155.
- Veblen, T.T., Ashton, D.H., Schlegel, F.M. & Veblen, A. T. 1977a. Distribution and dominance of species in the understorey of a mixed evergreen-deciduous *Nothofagus* forest in south central Chile. *Journal of Ecology* 65: 815-830.
- Veblen, T.T., Ashton, D.H., Schlegel, F.M. & Veblen, A.T. 1977b. Plant succession in a timberline depressed by vulcanism in south-central Chile. *Journal of Biogeography* 4: 275-294.
- Veblen, T.T., Donoso Z., C., Schlegel, F.M., Escobar R., B. 1981. Forest dynamics in south-central Chile. *Journal of Biogeography* 8: 211-247.
- Veblen, T.T. & Lorenz, D.C. 1987. Post-fire stand development of *Austrocedrus-Nothofagus* forests in northern Patagonia. *Vegetatio* 71: 113-126.
- Veblen, T.T., Mermoz, M., Martin, C. & Ramilo, E. 1989. Effects of exotic deer on forest regeneration and composition in northern Patagonia. *Journal of Applied Ecology* 26: 711-724.
- Veblen, T.T. & Schlegel, F.M. 1982. Reseña ecológica de los bosques del sur de Chile. *Bosque* 2: 73-115.
- Veblen, T.T., Schlegel, F.M. and Oltremari, J.V. 1983. Temperate broad-leaved evergreen forests of South America. In: Ovington, J. D. (ed.) *Temperate Broad-leaved Evergreen Forests* (Ecosystems of the World No. 10), pp. 5-31. Elsevier, Amsterdam.
- Wardle, J. 1970. The ecology of *Nothofagus solandri*. 3. Regeneration. *New Zealand Journal of Botany* 8: 571-608.
- Wardle, J. 1984. *The New Zealand Beeches: Ecology, Utilisation and Management*. New Zealand Forest Service, Wellington.
- Wardle, J., Hayward, J. & Herbert, J. 1973. Influence of ungulates on the forest and scrublands of South Westland. *New Zealand Journal of Forestry Science* 3: 3-36.
- Wardle, P. 1980. Ecology and distribution of silver beech (*Nothofagus menziesii*) in the Paringa District, South Westland, New Zealand. *New Zealand Journal of Ecology* 3: 23-36.
- Wardle, P. 1991. *Vegetation of New Zealand*. Cambridge University Press, New York.
- Warming, E. 1909. *Oecology of Plants*. Clarendon Press, Oxford.
- Waser, N.M. & Real, L.A. 1979. Effective mutualism between sequentially flowering plant

species. *Nature* 281: 670-672.

Watkins, A.J. & Wilson, J.B. 1992. Fine-scale community structure of lawns. *Journal of Ecology* 80: 15-24.

Weiher, E. & Keddy, P.A. 1995a. Assembly rules, null models, and trait dispersion: new questions from old patterns. *Oikos* 74: 159-164.

Weiher, E. & Keddy, P.A. 1995b. The assembly of experimental wetland plant communities. *Oikos* 73: 323-335.

Werger, M.J.A. & Ellenbroek, G.A. 1978. Leaf size and leaf consistence of a riverine forest along a climatic gradient. *Oecologia* 34: 297-308.

Whitehead, F.H. 1954. A study of the relation between growth form and exposure on Monte Maiella, Italy. *Journal of Ecology* 42: 180-186.

Whittaker, R.H. 1956. Vegetation of the Great Smoky Mountains. *Ecological Monographs* 26: 1-80.

Whittaker, R.H. 1975. *Communities and Ecosystems*. MacMillan, New York.

Whittaker, R.H. 1977. Evolution of species diversity in land communities. *Evoloutionary Biology* 10: 7-67.

Wiens, J.A. 1989a. *The Ecology of Bird Communities*. Cambridge University Press, Cambridge, U.K.

Wiens, J.A. 1989b. Spatial scaling in ecology. *Functional Ecology* 3: 385-397.

Wiens, J.A. 1991a. Ecological similarity of shrub-desert avifaunas of Australia and North America. *Ecology* 72: 479-495.

Wiens, J.A. 1991b. Ecomorphological comparisons of the shrub-desert avifaunas of Australia and North America. *Oikos* 60: 55-63.

Williams, J.B. & Bale, C.L. 1993. Mapping the distribution of *Nothofagus moorei* communities. In: Hill, R.S. (ed.) *Abstracts, Southern Temperate Ecosystems: Origin and Diversification* (a combined conference of Southern Connection, Australian Systematic Botany Society & Ecological Society of Australia). Hobart, Tasmania.

Wilson, J.B. 1975. Teddybear — a statistical system. *New Zealand Statistician* 10: 36-42.

Wilson, J.B. 1987. Methods for detecting non-randomness in species co-occurrences: a contribution. *Oecologia* 73: 579-582.

Wilson, J.B. 1988. Community structure in the flora of islands in Lake Manapouri, New Zealand. *Journal of Ecology* 76: 1030-1042.

- Wilson, J.B. 1989. A null model of guild proportionality, applied to stratification of a New Zealand temperate rain forest. *Oecologia* 80: 263-267.
- Wilson, J.B. 1991. Does vegetation science exist? *Journal of Vegetation Science* 2: 289-290.
- Wilson, J.B. 1994. Who makes the assembly rules? *Journal of Vegetation Science* 5: 275-278.
- Wilson, J.B. 1995. Null models for assembly rules: the Jack Horner effect is more insidious than the Narcissus effect. *Oikos* 72: 139-144.
- Wilson, J.B., *in prep.* Guilds, functional types, ecological groups: what are the types of types?
- Wilson, J.B., Agnew, A.D.Q. & Partridge, T.R. 1994. Carr texture in Britain and New Zealand; convergence compared with a null model. *Journal of Vegetation Science* 5: 109-116.
- Wilson, J.B., Allen, R.B. & Lee, W.G. 1995. An assembly rule in the ground and herbaceous strata of a New Zealand rainforest. *Functional Ecology* 9: 61-64.
- Wilson, J.B. & Gitay, H., *in prep.* Guild structure in a tall tussock grassland: demonstration of intrinsic guilds.
- Wilson, J.B., Gitay, H. & Agnew, A.D.Q. 1987. Does niche limitation exist? *Functional Ecology* 1: 391-397.
- Wilson, J.B., Gitay, H., Roxburgh, S.H., King, W.M. & Tangney, R.S. 1992a. Egler's concept of initial floristic composition in succession — ecologists citing it do not agree what it means. *Oikos* 64: 591-593.
- Wilson, J.B., James, R.E., Newman, J.E. & Myers, T.E. 1992b. Rock pool algae: species composition determined by chance? *Oecologia* 91: 150-152.
- Wilson, J.B. & Roxburgh, S.H. 1994. A demonstration of guild-based assembly rules for a plant community, and determination of intrinsic guilds. *Oikos* 69: 267-276.
- Wilson, J.B. & Whittaker, R.J. 1995. Assembly rules demonstrated in a saltmarsh community. *Journal of Ecology* 83: 801-807.
- Winemiller, K.O. & Pianka, E.R. 1990. Organization in natural assemblages of desert lizards and tropical fishes. *Ecological Monographs* 60: 27-55.
- Witkowski, E.T.F. & Lamont, B.B. 1991. Leaf specific mass confounds leaf density and thickness. *Oecologia* 88: 486-493.
- Woodward, F.I. 1987. *Climate and Plant Distribution*. Cambridge University Press, Cambridge.
- Yodzis, P. 1982. The compartmentation of real and assembled ecosystems. *American Naturalist* 120: 551-570.

Zobel, K., Zobel, M. & Peet, R.K. 1993. Change in pattern diversity during secondary succession in Estonian forests. *Journal of Vegetation Science* 4: 489-498.